

09/380738

Reg

1/25/00

L27 ANSWER 1 OF 2 MEDLINE

AN 1999007514 MEDLINE

DN 99007514

TI Anticariogenic complexes of amorphous calcium phosphate stabilized by casein phosphopeptides: a review.

AU Reynolds E C

CS School of Dental Science, University of Melbourne, Australia.

SO SPECIAL CARE IN DENTISTRY, (1998 Jan-Feb) 18 (1) 8-16. Ref: 61

Journal code: U99. ISSN: 0275-1879.

CY United States

DT Journal; Article; (JOURNAL ARTICLE)

General Review; (REVIEW)

(REVIEW, TUTORIAL)

LA English

FS Dental Journals; Dental

EM 199901

EW 19990104

AB Using laboratory, animal, and human in situ caries models, investigators have shown that casein ***phosphopeptide*** amorphous ***calcium*** ***phosphate*** complexes (CPP-ACP) exhibit an anticariogenic activity. The casein ***phosphopeptides*** (CPP) are produced from a tryptic digest of the milk protein casein by aggregation with ***calcium*** ***phosphate*** and purification by ultrafiltration. The CPP have a remarkable ability to stabilize ***calcium*** ***phosphate*** in solution and substantially increase the level of ***calcium*** ***phosphate*** in dental plaque. Through their multiple phosphoseryl residues, the CPP bind to forming clusters of amorphous ***calcium*** ***phosphate*** (ACP) in metastable solution, preventing their growth to the critical size required for nucleation and precipitation. The proposed mechanism of anticariogenicity for the CPP-ACP is that they localize ACP in dental plaque, which buffers the free calcium and phosphate ion activities, thereby helping to maintain a state of supersaturation with respect to tooth enamel depressing demineralization and enhancing remineralization. The CPP-ACP, unlike ***fluoride***, can be added to sugar-containing foods and therefore have commercial potential as an additive to foods as well as to toothpastes and mouthwashes for the control of dental caries.

AB Using laboratory, animal, and human in situ caries models, investigators have shown that casein ***phosphopeptide*** amorphous ***calcium*** ***phosphate*** complexes (CPP-ACP) exhibit an anticariogenic activity. The casein ***phosphopeptides*** (CPP) are produced from a tryptic digest of the milk protein casein by aggregation with ***calcium*** ***phosphate*** and purification by ultrafiltration. The CPP have a remarkable ability to stabilize ***calcium*** ***phosphate*** in

STIC-ILL

279889

From:
Sent:
To:

Lukton, David
Tuesday, January 25, 2000 1:53 PM
STIC-ILL

David Lukton
308-3213
AU 1653
SN 09/380738

6001270332

L27 ANSWER 1 OF 2 MEDLINE
AN 1999007514 MEDLINE
DN 99007514

TI Anticariogenic complexes of amorphous calcium phosphate stabilized by
casein phosphopeptides: a review.

AU Reynolds E C

~~X~~SO SPECIAL CARE IN DENTISTRY, (1998 Jan-Feb) 18 (1) 8-16. Ref: 61
Journal code: U99. ISSN: 0275-1879.

NO 1/27